



***Australian Truck
& Trailer Parts***

***Tooling
Catalogue***



HC-ATM Group Pty Ltd
ABN: 87 140 887 501
TELEPHONE: (07) 3277 5111 FAX: (07) 3875 1945
WEB: www.aussietruckparts.com.au
102 Stradbroke St, Heathwood, Brisbane, QLD 4110

About Us

We manufacture heavy duty and high-quality Truck Parts, Trailer Parts and Tooling designed for long life and reliability.

Our parts have been field tested in tough Australian, Papua New Guinea, Indonesia and U.S.A conditions including mine sites, off-road and logging sites to make sure they perform.

Our design and innovation in manufacturing produces the reliability and cost effectiveness required in today's market.

Our Philosophy

If it works well in the tough Australian conditions then it will work anywhere!

We Supply To ...

Absolute Spares
Advance Trailers Sales & Service
Albury Truck & Trailer Parts
Australian Truck & Auto Parts
Auto Tools
AV Trucks
Brown & Hurley
Big Rig Spares
Black Truck Sales
Bruce Rock Engineering
BPW Transpec Pty Ltd
BW Truck Parts
Canberra Truck Repairs
Diesel Drive Pty Ltd
Elphinstone Trailers
Fleet Gear Pty Ltd
Fleet Parts Australia
Flex Industries
Giacci Brothers Pty Ltd
Gibbs Parts
Gibbs Truck & Trailer Parts
Gleeman Truck Parts
Graham Thomson Motors

Haulmark Trailers
Hi Torque Truck Spares
Holmwood Highgate Pty Lt
Howard Porter
H.V. Equipment & Parts Pty Ltd
Independent Parts
Jackson's Parts & Industrial
Kenway & Clark QLD
Kenworth
Mackay Truck Parts
Marulan Truck & Bus Pty Ltd
Maxiparts Pty Ltd
Meritor H.V.S Aust Ltd
Mounts Machinery
Multispares Ltd
North Star Motors Pty Ltd
Northern Truck Alignment
O'Keefe Industries Pty Ltd
Outback Spares
Paccar
Penske Power Systems Pty Ltd
Powertrans
QUBE Bulk
Regional Transport Spares Pty Ltd
Rocklea Truck Spares Pty Ltd






Shepherd Transport
Equipment
Southern Cross Transport
Equipment Group
Suncoast Truck Spares
SX Trailers
Swan Hill Truck Service
Toowoomba Truck Spares
Total Fleet Maintenance
Truck & Auto Parts Inverall &
Moree
Trailer Sales
Truckline
Tranzmile Pty Ltd
Transparts Qld Pty Ltd
Transport Parts WA
Transpro Pty Ltd
Volvo Commercial Vehicles
Westco Truck Sales
Wideland Trucks & Equipment
Pty Ltd
Wrights Truck & Trailer
Spares
York Transport Equipment



CONTENTS


AXLE NUT AND HUB CAP SPANNERS	4
HEAVY DUTY SPANNERS	7
INSTALLATION TOOL FOR TORQUE ROD & CAB BUSHES	9
KENWORTH K200 SHOCKY BOLT TOOL	9
EATON CLUTCH TOOL	10
ANCHOR PIN TOOL	10
TOWING EYE BUSH REMOVAL TOOL	10
CAMBUSH TOOLS	10
DIESEL CYLINDER HEIGHT TOOL	10
RIVET TOOLS	11
Machine Held Rivet Tools	11
Hand Held Rivet Tools	11
BEARING INSTALLATION TOOLING	11
AFTERMARKET TOOLS TO SUIT CUMMINS SEALS	13
AFTERMARKET TOOLS FOR MACK FRONT SEAL GEARBOX INSTALLATION	14
AFTERMARKET TOOLS FOR MACK INSTALLATION	14
AFTERMARKET TOOL FOR CAT 15 REAR & FRONT INSTALLATION	15
AFTERMARKET TOOL FOR VOLVO MP8 REAR MAIN INSTALLATION	15
AFTERMARKET TOOL FOR VOLVO GEARBOX INSTALLATION	15
AFTERMARKET TOOL FOR VOLVO LIFTING	15
AFTERMARKET TOOL FOR ISUZU FRONT REAR CRANK SEAL TOOL	15
AFTERMARKET TOOL FOR ISUZU FRONT REAR CRANK SEAL	15
BUSHING TOOLING	16
YOKE PULLER TOOL	17
HYDRAULIC RAM & ACCESSORIES	17
HYDRAULIC RAM KITS	18
HYDRAULIC TOOLING	20
PART NUMBER INDEX	23
TOOLING PART NUMBER CROSS REFERENCES	24

As of Truckshow May 2021

AXLE NUT AND HUB CAP SPANNERS

	PART NO.	NO. OF POINTS	SUITS		APPLICATION AND GENERAL INFORMATION
			NOMINAL ACROSS FLATS	ACTUAL SIZE AF	
	00.0204.05	Side 1: 8 Side 2: 8	Side 1: 3-1/4" = 82.6mm Side 2: 3-13/16" = 96.8mm	Side 1: 84.0mm Side 2: 98.4mm	Trailer Axle Spanners: For Spicer 021 & 022, and Std. Forge A25 & A26 Axles (Outer Nut Only); For Rockwell, Eaton, Kershaw, and Std. Forge 17,000-18,000 LB. Axles; For Rockwell Paymaster RN & RQ Model Axles For Outer Nut spanner only see 00.0205.06 on page 3 For Inner Nut spanner only see 00.0205.16 on page 3
	00.0237.05	6	78mm	80.5mm	Trailer Axle Spanner: For BPW Old and New Generation Axles Alternative to 00.0237.06
	00.0255.05		100mm	101.6mm	BPW
	00.0278.05		112mm	113mm	
	00.0238.05	8	109mm	110.5mm	Trailer Axle Spanner: For BPW Old and New Generation Axles Alternative to 00.0238.06
	00.0206.01	Side 1: 8 Side 2: 8	Side 1: 3-1/4" = 82.6mm Side 2: 3-13/16" = 96.8mm	Side 1: 84.0mm Side 2: 98.4mm	Tube spanner version of 00.0204.05
	00.0215.01	6	3-1/4" = 82.6mm	83.5mm	Tube spanner version of 00.0215.06
	00.0235.01		3" = 76.2mm	77.0mm	Tube spanner version of 00.0235.06

	PART NO.	NO. OF POINTS	SUITS		APPLICATION AND GENERAL INFORMATION
			NOMINAL ACROSS FLATS	ACTUAL SIZE AF	
	00.0236.16	4	80mm AF & 73mm Dia. Oval	81.5mm AF & 74.5mm Dia. Oval	For BPW ECO Oval Hub Cap
	00.0237.16		95mm AF & 89mm Dia. Oval	95.9mm AF & 91.1mm Dia. Oval	For BPW Oval Hub Cap
	00.0238.16		109mm AF & 104mm Dia. Oval	110.6mm & 106.1mm Dia. Oval	For BPW Oval Hub Cap
	00.0265.06	6	65mm	66.5mm	Front Axle Spanner: For Scania Axle
	00.0240.06		2-5/8" = 66.5mm	68.0mm	For Rockwell Front Steering Axles FD-900, FD-901, FE-900, FF-901 & FF-931 (Inner Nut Only) and York Axles
	00.0234.06		70mm	71mm	For Ringfeeder
	00.0235.06		3" = 76.2mm	77.0mm	3" (76.2mm) GP
	00.0237.06		78mm	80.5mm	Trailer Axle Spanner: For BPW Old and New Generation Axles
	00.0215.06		3-1/4" = 82.6mm	83.5mm	Spanner Open Type Frei Mk VA Fits 6 Sided
	00.0234.16		84mm	85mm	For Ringfeeder & BPW
	00.0222.06		3-1/2" = 88.9mm	90mm	For Ringfeeder & BPW
	00.0273.06		3-3/4" = 95.3mm	97.0mm	For Isuzu Early Axle
	00.0245.06		3-7/8" (98.4mm)	98.4mm	Spanner Open Type
	00.0255.06		4" = 101.6mm	103.2mm	Drive Axle Spanner: For Rockwell "L", "Q", & "R" Series Axles; For SQHD & R170 Drive Axles
	00.0261.06		4-1/8" = 104.8mm	106.9mm	Drive Axle Spanner: For Eaton 1911-1919, 2011, 20500-01, 19500-01-02 Series Axles; For Mack SW-56C & SW-57C Series Axles
	00.0231.06		109mm	110mm	Open Type Spanner for UD Truck 6 Sided 109mm NISSAN UD
	00.0233.06		90mm	92mm	For UD Truck

	00.0232.06		4-3/8" = 111.1mm	112.0mm	For UD
	00.0278.06		112mm	113mm	Open Type 6 Sided Spanner
	00.0274.06		4-1/2" = 114.3mm	116.0mm	For Isuzu Late Axle
	PART NO.	NO. OF POINTS	SUITS		APPLICATION AND GENERAL INFORMATION
			NOMINAL ACROSS FLATS	ACTUAL SIZE AF	
	00.0208.06	8	3-1/8" = 79.4mm	80mm	Open Type Spanner – General Purpose
	00.0205.06		3-1/4" = 82.6mm	84.0mm	Trailer Axle Spanners: For Spicer 021 & 022, and Std. Forge A25 & A26 Axles (Outer Nut Only); For Rockwell, Eaton, Kershaw, and Std. Forge 17,000-18,000 LB. Axles; For Rockwell Paymaster RN & RQ Model Axles
	00.0205.16		3-13/16" = 96.8mm	98.4mm	
	00.0220.06		3-3/4" = 95.3mm	96.6mm	For York Axles
	00.0270.06		100mm	101.5mm	Drive Axle Spanner: For Scania Axle
	00.0230.06		105mm	106.0mm	Drive Axle Spanner: For Scania Axle
	00.0238.06		109mm	110.6mm	Trailer Axle Spanner: For BPW Old and New Generation Axles
	00.0275.06		4-3/8" = 111.1mm	112.5mm	Hendrickson
	00.0242.06		-	-	Replaced by 00.0275.06
	00.0225.06		4-1/2" = 114.3mm	116mm	For Volvo
	00.0210.06		4-3/4" = 120.7mm	123.0mm	Trailer Axle Spanner: For Fruehauf "Pro-Par" Axles
	00.0276.06		4-7/8" = 123.8mm	124.0mm	Trailer Axle Spanner
	00.0271.06		95.0mm	96.6mm	For Scania Drive Axle Model M

HEAVY DUTY SPANNERS

PART NO.	NO. OF POINTS	SUITS		APPLICATION AND GENERAL INFORMATION
		NOMINAL ACROSS FLATS	ACTUAL SIZE AF	
00.0236.16HD	4	80mm AF & 73mm Dia. Oval	81.5mm AF & 74.5mm Dia. Oval	For BPW ECO Oval Hub Cap
00.0237.16HD		95mm AF & 89mm Dia. Oval	95.9mm AF & 91.1mm Dia. Oval	Spanner Open Type, 2 Curved Sides. Suits BPW Hubcap
00.0238.16HD		109mm AF & 104mm Dia. Oval	110.6mm & 106.1mm Dia. Oval	For BPW Oval Hub Cap
00.0265.06HD	6	65mm	66.5mm	Front Axle Spanner: For Scania Axle
00.0240.06HD		2-5/8" = 66.5mm	68.0mm	For Rockwell Front Steering Axles FD-900, FD-901, FE-900, FF-901 & FF-931 (Inner Nut Only) and York Axles
00.0234.06HD		70mm	71.0mm	For Mack & Volvo Front Axle
00.0243.06HD		2-31/32" = 75.5mm	77mm	Heavy Duty 20mm Double Cross Spanner
00.0214.06HD		3-1/16" = 77.8mm	78.36mm	Open Type General Purpose Fits 6 Sided
00.0234.16HD		84mm	85.0mm	For Ringfeeder & BPW
00.0273.06HD		3-3/4" = 95.3mm	97.0mm	For Isuzu Early Axle
00.0278.06HD		4-3/8" = 111.1mm	112.0mm	For UD
00.0228.06HD		4-3/4" = 120.6mm	121.5mm	6 Sided 120.6mm Heavy Duty 16mm Double Cross Brace
00.0255.16HD		4" = 101.6mm	103.2mm	With centre tube Drive Axle Spanner: For Rockwell "L", "Q", & "R" Series Axles; For SQHD & R170 Drive Axles
00.0257.06HD		4-1/8" = 105mm	107mm	Heavy Duty 16mm Double Cross Spanner





00.0255.16HD

00.0261.06HD




4-1/8" =
104.8mm

106.9mm


Drive Axle Spanner:
For Eaton 1911-1919,2011,
20500-01, 19500-01-02
Series Axles;
For Mack SW-56C &
SW-57C Series Axles





INSTALLATION TOOL FOR TORQUE ROD & CAB BUSHES

	PART NO.	APPLICATION AND GENERAL INFORMATION
	00.0291.16	Installation Tool to Suit Kenworth 200, 400 & 450 Series Torque Rod Bushes
	00.0295.06	Installation Tool to suit Mack - Neway Bush (Suit 88.75mm Bush)
	00.0292.06	Installation Tool to Suit Kenworth, Meritor, Western Star, Neway, Mack & Isuzu 6 Rod Torque Rod Bushes
	00.0293.06	Installation Tool to Suit Mack Front Cab Bushes


KENWORTH K200 SHOCKY BOLT TOOL

	PART NO.	APPLICATION AND GENERAL INFORMATION
	00.0294.16	Front Bolt Tool To suit Kenworth Shooky For K200 Series Trucks Kenworth Part Number For The Bolt Is K233-656


KING PIN FITTING & REMOVAL TOOL

	PART NO.	DIMENSIONS	APPLICATION AND GENERAL INFORMATION
	00.0318.0	Length = 300mm Shaft Sizes = 35mm Shaft Sizes = 41mm Shaft Sizes = 44mm Depth = 35mm Depth = 97mm Depth = 150mm	Fitting & Removal Tool To Suit Mack King Pin
	00.0319.0	Length = 300mm Shaft Sizes = 45mm Shaft Sizes = 47mm Depth = 37mm Depth = 120mm	Fitting & Removal Tool To Suit Eaton King Pin


EATON CLUTCH TOOL

	PART NO.	DIMENSIONS	APPLICATION AND GENERAL INFORMATION
	00.0320.0	Length = 156mm Shaft OD = 25.35mm Depth = 20mm	Clutch Cross Shaft Bush Fitting & Removal Tool To Suit Eaton


ANCHOR PIN TOOL

	PART NO.	DIMENSIONS	APPLICATION AND GENERAL INFORMATION
	00.0330.0	OD = 44.5mm ID = 32mm Deep = 8mm	Includes Tool and Boss For Boss only order Part No 00.0330.1


TOWING EYE BUSH REMOVAL TOOL

	PART NO.	DIMENSIONS	APPLICATION AND GENERAL INFORMATION
	00.0331.0	Length: 125mm Shaft OD: 50mm Length Shaft: 29mm	Standard Towing Eye Bush Removal Tool

CAMBUSH TOOLS

	PART NO.	APPLICATION AND GENERAL INFORMATION
	00.0322.0	Cambush Tooling 1.5 For easy installation of camshaft bushes 03.2200.2, 03.2200.5, and 03.2200.9 in housing and then for fitting lock ring 03.2330.0 to the bush. Also ideal for fitting all 1-112" (38.1 mm) 1.0. camshaft bushes.

DIESEL CYLINDER HEIGHT TOOL

	PART NO.	APPLICATION AND GENERAL INFORMATION
	00.0758.0 (Imperial)	Diesel Cylinder Liner Height Tool. Includes
00.0758.1 (Metric)		

RIVET TOOLS

Machine Held Rivet Tools

	PART NO.	A	APPLICATION
	00.0512.0	11.4mm	3/16" (4.8mm) Shank Dia. Rivets
	00.0516.0	12.6mm	1/4" (6.4mm) Shank Dia. Rivets
	00.0520.0	14.4mm	5/16" (7.9mm) Shank Dia. Rivets







Hand Held Rivet Tools

	PART NO.	A	APPLICATION
	00.0512.6	11.4mm	3/16" (4.8mm) Shank Dia. Rivets
	00.0516.6	12.6mm	1/4" (6.4mm) Shank Dia. Rivets
	00.0520.6	14.4mm	5/16" (7.9mm) Shank Dia. Rivets







BEARING INSTALLATION TOOLING

Inner & Outer Rings



	PART NO.	APPLICATION AND GENERAL INFORMATION								
	00.0724.0	<p>Bearing Drift Kit Includes parts</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 33%;">00.0719.0 x 1</td> <td style="width: 33%;">00.0720.0 x 1</td> <td style="width: 33%;">00.0726.0 x 1</td> </tr> <tr> <td>00.0727.0 x 1</td> <td>00.0728.0 x 1</td> <td>00.0729.0 x 1</td> </tr> <tr> <td>00.0730.0 x 1</td> <td>00.0731.0 x 1</td> <td></td> </tr> </table> <p>Kit comes in a metal toolbox</p>	00.0719.0 x 1	00.0720.0 x 1	00.0726.0 x 1	00.0727.0 x 1	00.0728.0 x 1	00.0729.0 x 1	00.0730.0 x 1	00.0731.0 x 1
00.0719.0 x 1	00.0720.0 x 1	00.0726.0 x 1								
00.0727.0 x 1	00.0728.0 x 1	00.0729.0 x 1								
00.0730.0 x 1	00.0731.0 x 1									
	00.0719.0	Handle to suit disc including bolt.								
	00.0720.0	<p>Suits inner & outer bearing part number : 133213M & HM2129 VC2522</p> <p>Dimensions: 120mm x 32mm ring</p>								

	<p>00.0726.0</p>	<p>Suits inner & outer bearing part number: HM218210 & HM212011</p>
	<p>00.0727.0</p>	<p>Suits inner & outer bearing part number: 592A & 572</p>
	<p>00.0728.0</p>	<p>Suits inner & outer bearing part number: 6420 & 552A</p>
	<p>00.0729.0</p>	<p>Suits inner & outer bearing part number: HM32310</p>
	<p>00.0730.0</p>	<p>Suits inner & outer bearing part number: HM33118 & HM33213</p>
	<p>00.0731.0</p>	<p>Suits inner & outer bearing part number: HM 3720</p>



AFTERMARKET TOOLS TO SUIT CUMMINS SEALS

	PART NO.	DIMENSIONS	APPLICATION AND GENERAL INFORMATION
	00.0750.0	OD = 150mm PCD = 110mm ID = 137mm ID Step = 133.65mm Deep = 9.8mm Width = 23.42mm	Rear Main Seal Installation Tool Kit.
	00.0751.0	OD = 203mm PCD = 144mm PCD = 174mm ID = 175.5mm ID Step = 167.5mm Deep = 12.97mm Width = 19.45mm	Rear Main Seal Installation Tool for Cummins M10, M11&ISN Rear
	00.0752.0	OD = 168mm PCD = 114mm ID = 55mm Deep = 20mm Width = 140mm	Front Crank Main Seal Installation Tool for Cummins ISX & Signature
	00.0753.0		Cummins ISX Injector Remover Cam Gear Puller Cummins Part No 3163069
	00.0754.0		M20161 CAM Timing Tool Kit Cummins Isx Engine 3163021 Including Crank Pin 3163020 & 2 Wedges 4, 6 Degree
	00.0755.0	Holes = 16.9 PCD=138 ¾ UNC Centre Thread 3 x M16 x 1.5 studs 87mm 1 x ¾ UNC Bolt 190mm	Rear Main Seal Installation Tool For Cummins ISX & Signature Rear Crankshaft Cummins Part No: 4965569


AFTERMARKET TOOLS FOR MACK FRONT SEAL GEARBOX INSTALLATION

	PART NO.	DIMENSIONS	APPLICATION AND GENERAL INFORMATION
	00.0760.0	OD = 99mm ID = 76.77mm ID Step = 15mm Deep = 12.26mm Width = 50.93mm	12 Speed Mack Front Seal Gearbox Installation Tool
	00.0761.0	OD = 99mm ID = 75.97mm ID Step = 7.02mm Deep = 13.48mm Width = 50.45mm	18 Speed Mack Front Seal Gearbox Installation Tool


AFTERMARKET TOOLS FOR MACK INSTALLATION

	PART NO.	DIMENSIONS	APPLICATION AND GENERAL INFORMATION
	00.0762.0	OD = 57.10 Thread = 3/4.-10 UNC ID Step = 19 Width = 25.50	Mack E9 Timing Belt & Water Pump Installation Tool
	00.0763.0	OD = 104.82 Slot = 12.64 ID = 63.40 Deep = 36.40 Length = 126.00	Mack Front Crank Seal Tool Suits E6, E7, E9, ETEC, CRS


AFTERMARKET TOOL FOR CAT 15 REAR & FRONT INSTALLATION

	PART NO.	APPLICATION AND GENERAL INFORMATION
	00.0766.0	Rear & Front Main Seal Installation Tool Kit to suit C15 CAT

AFTERMARKET TOOL FOR VOLVO MP8 REAR MAIN INSTALLATION

	PART NO.	APPLICATION AND GENERAL INFORMATION
	00.0765.0	Suitable for Volvo / MP8 Motors – rear main installation tool


AFTERMARKET TOOL FOR VOLVO GEARBOX INSTALLATION

	PART NO.	APPLICATION AND GENERAL INFORMATION
	00.0771.0	Volvo Puller Tool To replace: 9808506 & 20741336




AFTERMARKET TOOL FOR VOLVO LIFTING

	PART NO.	APPLICATION AND GENERAL INFORMATION
	00.0770.0	V-LIFTING TOOL BRACKET COMPLETE Volvo Part Number: 88800352


AFTERMARKET TOOL FOR ISUZU FRONT REAR CRANK SEAL

	PART NO.	APPLICATION AND GENERAL INFORMATION
	00.0767.0	Aftermarket Tool For Isuzu Front Rear Crank Seal Installer Tool 6SD1



BUSHING TOOLING

	PART NO.	APPLICATION AND GENERAL INFORMATION
	00.0800.08	<p>Aftermarket Hendrickson Tri-Bushing Replacement Tool in Galvanised Tool Box</p> <p>Part Numbers include:</p> <ul style="list-style-type: none"> 00.0800.01 Hendrickson Tri-Hex Head Bolt Intraax (1) 00.0800.02 Hendrickson Tri- Hex Head Bolt Weld on Nut (1) 00.0800.03 Hendrickson Tri-Front Plate Intraax (1) 00.0800.04 Hendrickson Tri-Transition Tube Intraax (1) 00.0800.05 Hendrickson Tri-Cup Intraax (1) 00.0800.06 Hendrickson Tri-Removal Spacer 00.0800.07 Hendrickson Tri- Rear Drive Plate Intraax (1) 00.0800.10 Thrust Bearing (1) 00.0800.11 M30 Grade 8 Flat Washer Black (4) 00.0800.12 Screw PLN Cup M12x50mm Long Intraax (2) 00.0800.13 Screw PLN Cup M12 x 100mm Long Intraax (2) 00.0800.14 Galvanised Tool Box (1) 00.0800.18 Hendrickson Tri - Thread Insert Into Part Front Plate (1)
	00.0801.08	<p>Aftermarket Hendrickson Maxitraax Bushing Replacement Tool in Galvanised Tool Box</p> <p>Part Numbers include:</p> <ul style="list-style-type: none"> 00.0800.01B Hendrickson Tri-Hex Head Bolt Intraax (1) 00.0800.02 Hendrickson Tri- Hex Head Bolt Weld on Nut (1) 00.0800.03B Hendrickson Tri-Front Plate Intraax (1) 00.0800.04B Hendrickson Tri-Transition Tube Intraax (1) 00.0800.05 B Hendrickson Tri-Cup Intraax (1) 00.0800.06 Hendrickson Tri-Removal Spacer 00.0800.07B Hendrickson Tri- Rear Drive Plate Intraax (1) 00.0800.10 Thrust Bearing (1) 00.0800.11 M30 Grade 8 Flat Washer Black (4) 00.0800.14 Galvanised Tool Box (1) 00.0800.15 Hendrickson Maxitraax-Rear Drive Plate Pins (4) 00.0800.18 Hendrickson Tri - Thread Insert Into Part Front Plate (1)
	00.0802.08	<p>Aftermarket Meritor CS9 Pivot Bush Removal and Installation Tool in Galvanised Tool Box</p> <p>Suits Bush A1225-N-1522 excludes bush</p> <p>Part Numbers include:</p> <ul style="list-style-type: none"> 00.0800.04B Meritor Tri-Transition Tube (1) 00.0800.05 B Meritor Tri-Cup (1) 00.0800.06 Meritor Tri-Removal Spacer 00.0800.07B Meritor Tri- Rear Drive Plate (1) 00.0800.10 Thrust Bearing (4) 00.0800.11 M30 Grade 8 Flat Washer Black (4) 00.0800.14 Galvanised Tool Box (1) 00.0800.15 Meritor Rear Drive Plate Pins (4) 00.0802.1 Meritor Cs9 Pivot Thread Insert Into Front Plate (1) 00.0802.2 Meritor Cs9 Pivot Hex Head Bolt (1)


YOKE PULLER TOOL

	PART NO.	DIMENSIONS	APPLICATION AND GENERAL INFORMATION
	00.0804.08	Bar 240mm Long Thread Rod Long 204 Long	Yoke Puller Kit Thread Rod 4140 material plus Nitride Treatment



HYDRAULIC RAM & ACCESSORIES

	PART NO.	APPLICATION AND GENERAL INFORMATION
	ATM.2001	<p style="text-align: center;">Hydraulic Ram</p> <p>This 20 tonne Danotech centre hole cylinder hydraulic ram is a single acting, spring return that is designed for use in all positions that also can be used in a push or pull capacity. ISO9001/IS014000 Certificate and CE Mark</p>
	ATM.200.4	Air Compressor Foot pump

HYDRAULIC RAM KITS

	PART NO.	APPLICATION AND GENERAL INFORMATION
		<p>Kit includes: 20tonne Danotech Ram, Tooling, Hose fitting, 2 x nuts, Samson bar in a galvanised tool box.</p> <p>Part Numbers include:</p>
	ATM.20020T.15	<p>00.0800.14 Toolbox Galvanised (1)</p> <p>ATM.200.01 20 Ton Press (1)</p> <p>ATM.200.02 20 Ton Retaining Washer with 16mm hole (1)</p> <p>ATM.200.03 20 Ton Threaded Adaptor insert for Ram (1)</p> <p>ATM.200.13 Nipple NPTF Male x NPTF Female (1)</p> <p>ATM.200.14 Socket NPTF Female x NPTF Female (1)</p> <p>ATM.200.15 Coupling Carrier NPT</p> <p>ATM.241 Hydraulic Hose Fitting / Coupling Probe NPT (1)</p> <p>ATM.242 Hydraulic Hose 2.5m long blank (1)</p> <p>ATM.577.1 Plug to screw into fittings (7)</p> <p>ATM.577.2 Plug to screw into fittings (7)</p> <p>ATM.707.16 M16 Samson Bar 400mm Long + Nuts (1)</p> <p>ATM.800 Receiver for Kenworth, Mack, Western Star Shackle Pin Bush (1)</p> <p>ATM.801 Remover / Installer for Kenworth, Mack, Western Star Shackle Pin Bush (1)</p> <p>ATM.802 Remover / Installer for Freightliner Shackle Pin Bush (1)</p> <p>ATM.804 Receiver for Isuzu Front Cab Bush (1)</p> <p>ATM.805 Installer for Isuzu Front Cab Bush (1)</p> <p>ATM.806 Remover / Installer for Kenworth, Mack, Western Star Front Bronze Shackle Pin Bush (1)</p> <p>ATM.807 Receiver for BPW, K-Hitch, Holland & York Spring Eye Bush (1)</p> <p>ATM.808 Remover / Installer for BPW, K-Hitch, Holland Spring Eye Bush (1)</p> <p>ATM.810 Remover / Installer for York Spring Eye Bush (1)</p> <p>ATM.811 Remover / Installer for York Spring Eye Bush (1)</p> <p>ATM.812.1 Remover / Installer for Western Star Spring Eye Bush (1)</p> <p>ATM.812.2 Remover / Installer for Western Star Spring Eye Bush (1)</p> <p>ATM.812.3 Receiver for Western Star Spring Eye Bush (1)</p> <p>ATM.812.4 Retaining Pin for Western Star Spring Eye Bush Tool (1)</p> <p>ATM.812.5 Spacer for Western Star Spring Eye Bush Tool (1)</p>

HYDRAULIC RAM KITS (Cont'd)

	PART NO.	APPLICATION AND GENERAL INFORMATION
 	ATM.20020T.16 KIT	<p>Kit Includes: 20tonne Danotech Ram with Air-Compressor Foot Pump, and All Tooling (also includes hose, 2 x nuts and Samson Bar)</p> <p>Part Numbers include:</p> <p>00.0800.14 Toolbox Galvanised (1) ATM.200.01 20 Ton Press (1) ATM.200.02 20 Ton Retaining Washer with 16mm hole (1) ATM.200.04 Air Compressor Foot Pump (1) ATM.200.03 20 Ton Threaded Adaptor insert for Ram (1) ATM.200.13 Nipple NPTF Male x NPTF Female (1) ATM.200.14 Socket NPTF Female x NPTF Female (1) ATM.200.15 Coupling Carrier NPT ATM.241 Hydraulic Hose Fitting / Coupling Probe NPT (1) ATM.242 Hydraulic Hose 2.5m long blank (1) ATM.577.1 Plug to screw into fittings (7) ATM.577.2 Plug to screw into fittings (7) ATM.707.16 M16 Samson Bar 400mm Long + Nuts (1) ATM.800 Receiver for Kenworth, Mack, Western Star Shackle Pin Bush (1) ATM.801 Remover / Installer for Kenworth, Mack, Western Star Shackle Pin Bush (1) ATM.802 Remover / Installer for Freightliner Shackle Pin Bush (1) ATM.804 Receiver for Isuzu Front Cab Bush (1) ATM.805 Installer for Isuzu Front Cab Bush (1) ATM.806 Remover / Installer for Kenworth, Mack, Western Star Front Bronze Shackle Pin Bush (1) ATM.807 Receiver for BPW, K-Hitch, Holland & York Spring Eye Bush (1) ATM.808 Remover / Installer for BPW, K-Hitch, Holland Spring Eye Bush (1) ATM.810 Remover / Installer for York Spring Eye Bush (1) ATM.811 Remover / Installer for York Spring Eye Bush (1) ATM.812.1 Remover / Installer for Western Star Spring Eye Bush (1) ATM.812.2 Remover / Installer for Western Star Spring Eye Bush (1) ATM.812.3 Receiver for Western Star Spring Eye Bush (1) ATM.812.4 Retaining Pin for Western Star Spring Eye Bush Tool (1) ATM.812.5 Spacer for Western Star Spring Eye Bush Tool (1)</p>








HYDRAULIC TOOLING






Shackle Pin & Shackle Pin Bush Receivers, Removal & Installation Tools

	PART NO.	DIMENSIONS	APPLICATION AND GENERAL INFORMATION
	ATM.800	Sleeve: O.D. = 60mm I.D. = 48mm Length = 108mm Washer: O.D. = 56.37mm I.D. = 48.26mm Width = 10mm	Receiver for Kenworth, Mack, Western Star & Freightliner Shackle Pin Bush
	ATM.801	O.D. = 37.68 mm I.D. = 28.45 mm Width = 14.00 mm	Remover & Installer for Kenworth, Mack, W/Star & Freightliner Shackle Pin Bush
	ATM.802	O.D. = 44.11mm I.D. = 36.00 mm Width = 14.00mm	Remover & installer for Freightliner Shackle Pin Bush
	ATM.804	Sleeve: O.D. = 113.50mm I.D. = 97.60mm Length = 81.00mm Washer: O.D. = 109.50 mm I.D. = 109.50mm Width = 28.60mm	Receiver for Isuzu Front Cab Bush
	ATM.805	O.D. = 93.60mm I.D. = 82.90 mm Width = 33.00mm	Installer for Isuzu Front Cab Bush
	ATM.806	O.D. = 36.75mm I.D. = 31.45 mm Width = 14mm	Receiver for Kenworth, Mack, Western Star Front Bronze Shackle Pin Bush

HYDRAULIC TOOLING (Cont'd)

Spring Eye Bush Installation & Removal Tools

	PART NO.	DIMENSIONS	APPLICATION AND GENERAL INFORMATION
	ATM.807	Sleeve: O.D. = 84mm I.D. = 69.60mm Length = 108mm Washer: O.D. = 79.7mm I.D. = 77.85 mm Width = 12mm	Receiver for BPW & York, K-Hitch & Holland Spring Eye Bush
	ATM.808	O.D. = 56.6 mm I.D. = 51.66 mm Width = 15.00 mm	Remover & Installer for BPW, York K-Hitch & Holland Spring Eye Bush
	ATM.809	O.D. = 56.6mm Width = 15mm	Installation Washer for BPW Spring Eye Bush ** NO OUTER SLEEVE **
	ATM.810	O.D. = 67.7 mm I.D. = 61.54 mm Width = 16.00 mm	Remover & Installer for York Spring Eye Bush
	ATM.811	O.D. = 67.7mm Width = 15.00 mm	Remover & Installer for York Spring Eye Bush
	ATM.812.1	O.D. = 63.9 mm I.D. = 23.5 mm Width = 45 mm	Remover/installer for western star spring eye bushes
	ATM.812.2	O.D. = 63 mm I.D. = 23 mm Width = 77 mm	Remover/installer for western star spring eye bushes

	<p>ATM.812.3</p>	<p>O.D. = 122 mm I.D. = 97 mm Width = 185 mm</p>	<p>Receiver for western star spring eye bushes tool</p>
	<p>ATM.812.4</p>	<p>M16 x 55mm Long</p>	<p>Retaining pin for western star spring eye bushes tool</p>
	<p>ATM.812.5</p>	<p>O.D. = 21mm I.D. = 16.6mm Width = 23mm</p>	<p>Spacer for western star spring eye bushes tool</p>
	<p>ATM.812.6</p>		<p>M45 Flat Washer Blue Plated x 6</p>
	<p>ATM.812.8</p>	<p>Combination of part numbers: ATM.812.1, ATM.812.2, ATM.812.3, ATM.812.3, ATM.812.4 , ATM.812.5 & ATM.812.6</p>	<p>Western star spring eye bushes tool complete</p>

PART NUMBER INDEX

00.0204.054	00.0255.054	00.0516.6 11	00.0801.08 16
00.0205.066	00.0255.065	00.0520.0 11	00.0802.08 16
00.0205.166	00.0255.16HD7	00.0520.6 11	00.0804.08 17
00.0206.014	00.0257.06HD7	00.0719.0 11	00.08320.0 10
00.0208.066	00.0261.065	00.0720.0 11	ATM.200.4 17
00.0210.066	00.0261.06HD8	00.0724.0 11	ATM.2001 17
00.0214.06HD7	00.0265.065	00.0726.0 12	ATM.20020t.15 18
00.0215.014	00.0265.06HD7	00.0727.0 12	ATM.20020t.16 KIT 19
00.0215.065	00.0270.066	00.0728.0 12	ATM.800 20
00.0220.066	00.0271.066	00.0729.0 12	ATM.801 20
00.0225.066	00.0273.065	00.0730.0 12	ATM.802 20
00.0228.06HD7	00.0273.06HD7	00.0731.0 12	ATM.804 20
00.0231.065	00.0274.066	00.0750.0 13	ATM.805 20
00.0233.065	00.0275.066	00.0751.0 13	ATM.806 20
00.0234.065	00.0276.066	00.0752.0 13	ATM.807 21
00.0234.165	00.0278.054	00.0753.0 13	ATM.808 21
00.0236.165	00.0278.066	00.0754.0 13	ATM.809 21
00.0237.054	00.0291.169	00.0755.0 13	ATM.810 21
00.0237.065	00.0292.069	00.0758.0 10	ATM.811 21
00.0237.165	00.0293.069	00.0758.1 10	ATM.812.1 21
00.0237.16HD7	00.0294.169	00.0760.0 14	ATM.812.2 21
00.0238.054	00.0295.069	00.0761.0 14	ATM.812.3 22
00.0238.066	00.0318.09	00.0762.0 14	ATM.812.4 22
00.0238.165	00.0319.09	00.0763.0 14	ATM.812.5 22
00.0238.16HD7	00.0322.010	00.0765.0 15	ATM.812.6 22
00.0240.065	00.0330.010	00.0766.0 15	ATM.812.8 22
00.0240.06HD7	00.0331.010	00.07670.0 15	
00.0242.066	00.0512.011	00.0770.0 15	
00.0243.06HD7	00.0512.611	00.0771..0 15	
00.0245.065	00.0516.011	00.0800.08 16	

TOOLING PART NUMBER CROSS REFERENCES

Australian Transport Manufacturers (ATM) Part Numbers	Maxipart Part Numbers
00.0204.05	AP3969
00.0255.05	AP3980
00.0236.16	AP3974
00.0238.16	AP3977
00.0240.06	AP3979
00.0237.06	AP3975
00.0234.16	AP3978
00.0239.06	AP3978
00.0273.06	AP3987
00.0255.06	AP3980
00.0261.06	AP3981
00.0274.06	AP3982
00.0205.06	AP3970
00.0205.16	AP3971
00.0220.06	AP3973
00.0238.06	AP3976
00.0277.06	AP3984
00.0225.06	AP3984
00.0210.06	AP3972
00.0276.06	AP3983
00.0255.06HD	AP3980HD
00.0330.0	CA7890
00.0516.0	CA7892
00.0800.08	HNS21307A

